


Aesculap® Acculan 3Ti

Look. Feel. Experience.



Aesculap Power Systems

Acculan 3Ti

Look. Feel. Experience.

Aesculap, as one of the leading suppliers of surgical motor systems, provides intelligent solutions for each surgical discipline. Our philosophy is to develop well-designed systems to make everyday hospital work easier: for the surgeon during the operation, for the operating team and for staff in charge of handling and sterile setup. With the Acculan 3Ti we have addressed this challenge in a completely new way.

This is a machine that will convince from the first second you touch it. The rounded, organic shape and the handle with integrated battery allow optimal guidance and perfect grip. You will feel the difference. The stylish titanium housing is simply indestructible.

Experience it yourself: Acculan 3Ti is a high-performance motor system for intuitive operation, meeting the highest standards of reliability, durability and ergonomics.



The difference
is in the detail.



■ The principle: a non-sterile battery

Aesculap pioneered the use of non-sterile rechargeable batteries that never get into contact with the sterile external surfaces of the machine. Non-sterilizable batteries offer the advantages of a longer service life and maximum reliability.

Consequently this design concept has now been widely accepted and emulated.

■ The difference is in the detail

Acculan 3Ti avoids sterilization not only of the temperature-sensitive battery cells, but also of the equally vulnerable control electronics by integrating it in the battery unit.

The new Acculan 3Ti represents the consistent development of our philosophy.

Acculan 3Ti

Look. Feel. Experience.



Aesculap engineers designed the handpieces with maximum reliability by keeping the sensitive battery control unit inside the non-sterile battery

■ Maximum power and reliability

The novel motor and control concept offers the kind of performance previously found only in our pneumatic or cable systems, combined with the reliability of our legendary Elan flexible cable system.

■ Intuitive operation

The Acculan 3Ti is easy to operate, especially with its intuitive saw blade coupling mechanism or the new K-wire attachment.


■ Automatic battery check

The battery charger automatically checks the condition of the battery after each charging cycle. It indicates when a battery shows declining performance and should be replaced.

■ Mechanical processing

With the ingenious Eccos storage system and the titanium shell, the Acculan 3Ti is suitable for mechanical cleaning, even with alkaline cleaning media. And Eccos makes sure that the system is clearly arranged for its sterile setup in the O.R.

costs



■ Low running costs

For the Acculan 3Ti we offer the replacement of spent batteries at an attractive fixed price. As the electronics and housing can still be used, this is a solution that is friendly to the environment and to your budget.

■ Service label

Regular servicing is essential to ensure the reliability of motor systems over a long service life. The service label clearly shows when the next Aesculap service is due.

Acculan 3Ti Overview




- Easy coupling of attachments thanks to innovative Acculan 3Ti coupling.
- Special adapter for mechanical cleaning of 4.0 mm cannulation.

■ Drill and reamer motor unit GA672

The power house for universal use with attachments for acetabulum reaming, intramedullary drilling, drilling and K-wire application; ideal for application in endo-prosthetics.

■ Small drill motor unit GA671

- Smaller size and lower weight than its "big brother" GA672. Ideal for all traumatological applications, e.g. drilling, medullary reaming and K-wire insertion, as well as, in connection with saw attachment GB660R, for all minor sawing procedures.
- Separate oscillation and tapping modes for optimal safety in the tightest approaches.



■ Acculan 3Ti attachments

Various attachments make the Acculan 3Ti adaptable for a range of applications without any compromise regarding user comfort and performance – high-speed for precise drilling, high torque for reaming.

- Compatible with all common reaming and drilling tools; attachments for A0, Zimmer, Hudson, Harris and Aesculap hexagon tool shaft.
- Easy identification of different drill and reamer attachments through color code on the unlocking sleeve. Drilling = black, reaming = blue.
- New K-wire attachment for intuitive operation. Suitable for all common K-wire diameters up to 4.0 mm.
- Sagittal saw attachment, ideal for all minor sawing procedures; effective saw blade length of up to 50 mm – with the proven key-less rapid-action saw blade coupling.
- Adaptor for Synthes radiolucent drive.

Acculan 3Ti Overview



■ Oscillating saw GA673

- Saw head 360° rotatable – for optimal access and visibility of the operating site.
- Key-less rapid-action saw blade coupling: Simply insert the saw blade – that's it. To release, just press the unlocking button and pull out the saw blade.

■ Reciprocating saw GA674

- Keyless saw blade coupling
- Application as a sternum saw (in combination with protection guide GB436R)



■ Charger GA677

- Intuitive, clear indicator elements
- Automatic battery check
- Charge status display
- Electronically controlled charging to avoid memory effect
- Easy to exchange charging bay for compatibility with Acculan 3Ti predecessor system

■ Rechargeable battery GA676 and GA666

Innovative battery changing concept – good for the environment, good for your budget

Ordering information

Machines*

GA671 Acculan 3Ti small drill*



GA672 Acculan 3Ti Drill and reamer*



Acculan 3Ti attachments for GA671 and GA672

GB630R Drill attachment Zimmer / Hudson
 GB635R Drill attachment AO small
 GB636R Drill attachment Aesculap hexagon
 GB638R Drill adapter Jacobs chuck 0 - 6.5 mm
 GB637R Drill attachment Trinkle

GB654R Reamer attachment Harris
 GB655R Reamer attachment AO large
 GB656R Reamer attachment Zimmer / Hudson

GB643R K-wire attachment 0.6 – 4.0 mm

GB645R Adapter for Synthes® radiolucent drive 511.300

GB660R Sagittal saw attachment



*All Acculan 3Ti machines are supplied with battery, cover and sterile funnel as standard accessories.

Machines*

<p>GA673 Acculan 3Ti Oscillating saw*</p>	
<p>GA674 Acculan 3Ti Reciprocating saw* <ul style="list-style-type: none"> ■ GB436R Acculan 3Ti protection guide for sternotomy </p>	

Accessories

<p>GA677 Charger GA666 NiMH rechargeable battery for GA670, GA671 GA676 NiMH rechargeable battery for GA672, GA673, GA674 GA675 Lid GA678 Sterile funnel GA679 Battery removal device GB600 Sterilit power systems oil spray</p>	
<p>GB243R Eccos set for 2 machines</p>	
<p>GB244R Eccos set for 1 machine</p>	

Machines and attachments are not within the scope of delivery of the Eccos set.

*All Acculan 3Ti machines are supplied with battery, cover and sterile funnel as standard accessories.

Saw blades



Article no.	Effective length	Width	Cut width
 GC207R	 25 mm	 5 mm	 0.5 mm
GC208R	25 mm	15 mm	0.5 mm
GC209R	35 mm	10 mm	0.8 mm
GC211R	35 mm	20 mm	0.8 mm
GC215R	50 mm	10 mm	0.8 mm
GC216R	50 mm	15 mm	0.8 mm
GC217R	50 mm	20 mm	0.9 mm
GC218R	50 mm	25 mm	0.9 mm
GC219R	50 mm	30 mm	0.9 mm
GC671R	35 mm	75 mm	0.8 mm
GC675R	50 mm	40 mm	0.9 mm



Article no.	Effective length	Cu width
 GC761R	 34 mm	 1.3 mm
GC766R	43 mm	0.9 mm
GC767R	60 mm	0.9 mm
GC768R	75 mm	0.9 mm
GC770R	75 mm	0.9 mm

for use with protection guide GB436R

Saw blades



Article no.	Effective length	Width	Cut width
 GE252R	 65 mm	 20 mm	 0.9 mm
GE253R	65 mm	26 mm	0.9 mm
GE254R	65 mm	32 mm	0.9 mm
GE255R	65 mm	41 mm	0.9 mm
GE231SU	75 mm	9 mm	1.27 mm
GE232SU	90 mm	8 mm	1.47 mm
GE233SU	90 mm	8 mm	1.27 mm
GE234SU	90 mm	13 mm	0.89 mm
GE235SU	90 mm	13 mm	1.0 mm
GE236SU	90 mm	13 mm	1.27 mm
GE238SU	90 mm	19 mm	0.89 mm
GE239SU	90 mm	19 mm	1.00 mm
GE240SU	90 mm	19 mm	1.19 mm
GE241SU	90 mm	19 mm	1.27 mm
GE242SU	90 mm	19 mm	1.37 mm
GE243SU	90 mm	23 mm	0.89 mm
GE244SU	90 mm	23 mm	1.0 mm
GE245SU	90 mm	23 mm	1.19 mm
GE246SU	90 mm	23 mm	1.27 mm
GE247SU	90 mm	23 mm	1.37 mm
GE248SU	90 mm	23 mm	1.47 mm
GE249SU	100 mm	19 mm	1.27 mm

Aesculap AG | Am Aesculap-Platz | 78532 Tuttlingen | Germany
Phone +49 (0) 74 61 95-0 | Fax +49 (0) 74 61 95-26 00 | www.aesculap.com

Aesculap – a B. Braun company

The main product mark 'Aesculap' is an
registered mark of Aesculap AG.

All rights reserved. Technical alterations are
possible. This leaflet may be used in no way
whatsoever other than for the offering, buying
and selling of our products.
No part may be copied or reproduced in any
form. In the case of misuse we retain the right
to recall our catalogues and pricelists and to
take legal action.

Brochure No. 031002

0510/2/5